



Shandong Bohong Bearing Co., Ltd.



63307LLB Bearing 2D drawings and 3D CAD models

35,000 mm x 80,000 mm x 34,900 mm NTN
63307LLB deep groove ball bearings

Bearing No. 63307LLB

Size	35x80x34.900 mm
Bore Diameter	35,000 mm
Outer Diameter	80,000 mm
Width	34,900 mm
d	35,000 mm
D	80,000 mm
B	34,900 mm
C	34,900 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4547359582697
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Non-Contact Seal
Internal Clearance	C0-Medium
Inch - Metric	Metric



Shandong Bohong Bearing Co., Ltd.

Long Description	35MM Bore; 80MM Outside Diameter; 34.925MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Ca
Other Features	Deep Groove Cartridge Type Non-Friction Nitrile Rubber Seal Shell Alvania Prelubricated
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Weight / LBS	1.64
Outer Race Width	1.375 Inch 34.925 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Bore	1.378 Inch 35 Millimeter
Outside Diameter	3.15 Inch 80 Millimeter
bore diameter:	35 mm
precision rating:	ISO Class 0
outside diameter:	80 mm
finish/coating:	Uncoated
overall width:	34.9 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Sealed
inner ring width:	34.90 mm



Shandong Bohong Bearing Co., Ltd.

row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	34.90 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	8800 rpm
internal clearance:	CN
fillet radius:	1.5 mm
operating temperature range:	-40 to 120 ° C
series:	633
dynamic load capacity:	33500 N
manufacturer product page:	Click here
static load capacity:	19100 N